# Memo

Date:

July 12, 2010

To:

City Manager

From:

Community Sustainability Division

File No:

Z10-0047

**Applicant:** Architecturally Distinct Solutions

City of

Kelowi

Inc. (M. Johnston)

At:

700 Barnaby Road

Owner(s): Gregory & Dixie Lefebre

Purpose:

To rezone the subject property from RR2 - Rural Residential 2 zone to the RR2s -

Rural Residential 2 with a secondary suite zone to construct a secondary suite

within an addition to a single family dwelling.

Existing Zone: RR2 - Rural Residential 2 zone

**Proposed Zone:** RR2s - Rural Residential 2 with a secondary suite zone

Report Prepared by: Birte Decloux

#### 1.0 RECOMMENDATION:

THAT Rezoning Application No. Z10-0047 to amend the City of Kelowna Zoning Bylaw No. 8000, by changing the zoning classification of Lot 1, District Lot 357, SDYD Plan KAP69370, located at Barnaby Road, Kelowna, BC, from the RR2 - Rural Residential 2 zone to the RR2s - Rural Residential 2 with a secondary suite zone be considered by Council;

AND THAT the zone amending bylaw be forwarded to a Public Hearing for further consideration;

AND THAT a building permit for the suite be applied for prior to final adoption of the zone.

#### 2.0 **PROPOSAL**

The subject property was subdivided in 2000. A new residence is under construction on the site with an attached but uniquely configured garage at the front portion of the dwelling. A two bedroom secondary suite is being proposed for the upper floor of the garage with a balcony overlooking the driveway. Entrance to the suite is provided through a common foyer.

The proposed application meets the requirements of RR2s - Rural Residential 2 with a secondary suite zone follows:

	Zoning Bylaw No. 8000	
CRITERIA	PROPOSAL	RR2(s) ZONE REQUIREMENTS
	Subdivision Regulations	
Lot Area	4,623 m <sup>2</sup>	4000 m <sup>2</sup>
Lot Width	37.39 m	36 m
Lot Depth	148 m	30.0 m
	Development Regulations	
Site Coverage (buildings)	11 %	20%
Site Coverage (buildings/parking)	24 %	50%
Size ratios	90 m <sup>2</sup> /13.5%	Within principal dwelling can't exceed the lessor of 90 m² or 40%
Height (existing house)	7.7m / 2 storey	2 ½ storeys / 9.5 m
Front Yard	14.5 m	6.0 m
Side Yard (east)	3.0 m	3.0 m
Side Yard (west)	26.49 m	3.0 m
Rear Yard	30 m	9.0 m
	Other Requirements	
Parking Stalls (#)	4 spaces	3 spaces
Private Open Space	meets requirements	30m <sup>2</sup> requirement

# 2.1 Site Context

The subject property is located on the north side of Barnaby Road in the upper Mission. More specifically, the adjacent land uses are as follows:

North	RU1	Large Lot Housing
South	RR2	Rural Residential 2
East	RR2	Rural Residential 2
West	RR1	Rural Residential 1

## 2.2 Site Location: 700 Barnaby Road



#### 3.0 CURRENT DEVELOPMENT POLICY

The RR2s - Rural Residential with Secondary Suite zone is being proposed for this property. The purpose of this zone is to provide a zone for country residential development, and complementary uses, on medium size lots in areas of high natural amenity and limited urban services.

#### Kelowna 2020 - Official Community Plan

The subject property is designated as Single/Two Unit Residential in the Official Community Plan. Relevant policies are included below.

#### **Housing Polices:**

Infrastructure Availability<sup>1</sup>. Give preference to supporting new housing in areas where required services already exist or can be provided most economically and efficiently;

Integration<sup>2</sup>. Encourage the sensitive integration of different housing forms in the various sectors of the City, in support of neighbourhood diversity and healthy communities;

**Secondary Suites**<sup>3</sup>. Encourage, under the conditions stipulated in the Zoning Bylaw, the creation of secondary suites.

#### 4.0 TECHNICAL COMMENTS

The application has been submitted to various technical agencies and City departments, and the following relevant comments have been submitted:

<sup>1</sup> Official Community Plan, Policy #8-1.30

<sup>2</sup> Official Community Plan, Policy #8-1.44

<sup>3</sup> Official Community Plan, Policy #8-1.47

## 4.1 <u>Development Engineering</u>

See attached.

#### 4.2 Fire Department

Additional address will be required.

## 4.3 Building and Permitting Branch

- 1) Development Cost Charges (DCC's) are required to be paid prior to issuance of any Building Permits
- 2) Operable bedroom windows required as per the 2006 edition of the British Columbia Building Code (BCBC 06).
- 3) Since the area of the suite exceeds the 90 square meter allowable area to allow the minimum requirement of a 30 minute fire resistance rating in section 9.36 of BCBC'06 is not applicable. BCBC'06 section A-9.36.1.1 provides clarification of suite allowances. A minimum 45 minute fire resistance rating may be required for the walls between the suite and main residence along with a 1 hour fire resistance rating between the garage and the suite. A separate exterior exit or a rated interior exit corridor may also be required, based on a code analysis. The applicant has confirmed that the fire separation will be increased (as noted above to 45 min rated between suite and home as well as 1 hour rated floor assembly between the suite and garage.) The building code considers the foot print as the suite area. The zoning bylaw considers the actual floor area of the suite which in this case meets the bylaw.
- 4) Full Plan check for Building Code related issues will be done at time of Building Permit applications.

#### 5.0 LAND USE MANAGEMENT DEPARTMENT COMMENTS

This proposal allows for more efficient use of the subject property and helps to diversify the housing supply in the area. Policies within the Official Community Plan support the sensitive integration into existing neighbourhoods, where services are already in place and densification can easily be accommodated. Due to the large size of the site and neighbouring properties, minimal impact (if any) is anticipated on abutting properties.

Danielle Noble

Manager, Urban Land Use


Approved for inclusion: Shelley Gambacort

Director, Land Use Management


Attachments:

Subject Property Map Site Plan Suite Floor Plans

Date Application Accepted: May 28, 2010



Certain layers such as lots, zoning and dp areas are updated bi-weekly. This map is for general information only. The City of Kelowna does not guarantee its accuracy. All information should be verified.





SITE INFORMATION: URRENT: City of Kelowna RR2 Zoning (Rural Residential-Single Dwelling Housing)

(1875) (1875) (1875) (1875) 48,731 mg/L (4,823 mg/m) 8,853 mg/L (824 mg/m) 8,5m (31,2 ft) or 2-1/2 stores

Com St Ares
Dally To Compy (115)No. Hey's Tot about
That pay! dis yet dis yet Are
Area
Area
Area 14.5m (47.5m) 35m (1050) 35m (1000) 46,763 mg/l. (4,823 mg/n) 3,872 mg/l. (327 mg/n.) 7,7m (25,3 ft) 2 stamps. CMC ADDRESS: 700 Barnaby Rood, Kalowing, BC LETAL ADDRESS:

4. THE ORD WAY COME IN CONTROL HE STATE OF THE CONTROL IS NOT THE CONTROL IN CONTROL IN

PRE-ENGINEERED ROOF & FLOOR JUSTS, BEAMS & TRUSSES

2. AL ROBOLTS SEND ON SIX SHALL AR ROBITED THAN MOTHER! AND ARE SHALL REPORT SENDED ON MALE ARE SHALL REPORT AND ARE SHALL REPORT AND AND ARE ARE SHALL BE ADDRESSED ON AND ARROWS AND ARRO ALL BOAS & JOSTS SWIL DE NETALLID AS POR SHOP DECIDIO DAMENO RECHANDIONIDIOS.

AND STREP FORMES ARE TO BE CONTRIND UNDER MAY AND AND AND STREET STORMES STORMES STORMES STORMED AND MAY AND STREET ARE TO BE A MANUAL OF 24 HEAT AND MAY AND STREET AND STREET AND STREET AND MAY AND STREET AND STREET AND STREET AND MAY AND STREET AND STREET AND STREET AND MICHAEL DRONGES AND STREET AND MICHAEL DRONGES AND MICHAEL

ALL BOOD IN CONTACT WITH CONCENT TO BE PRESSURE TREATED OR EQUALITY FROM CONCENTS WITH APPROVED MEDICANIC. LIMITS AND HOUSE SHALL IN (2001) SHY (2 LIAC).
ACCES TO DE DOUGH MICHON PHITTIDGS SHOT PHITTIDGS AND REASONS AND DE DOUGH AND ADDRESS TO DE DOUGH AND SINCE SUPPORTED BUILT-UP BUING SHALL HAVE THE SHALL MARKEY OF LOWING THE SUPPORT PAUG A MARKEY OF STANDED SO AS TO PROMOT THE RELEASED BUINGS LIDERH AND DEUTE PROMOT TOLKNOTCH SUPPORT. had section to it 1/2 functo (UML) was section we retired to supposes with 3 way was spect at 8° 0/2 at chas we at 12° 0/4 at initializant supposes.

L/POHOC POHT LOAD BLOCOKE FOR ALL CROOK TRUSS & BLAW POHT LOADS CONTINUOUS TO FOLMOWIDE. ALL COCKITE SAL CORSON TO SK EXCURDANCE OF ALCOHOL

SOLIC'S 25 MPs 1" 44/4X

SOLIC'S 25 MPs 1" 44/4X

CONCRETE

1,ALL DIRECTORS AND SEPRORE HANCINGTON, DE DICHOES APPROACH AND SEPROACH HANCINGTON.

REZONING PERMIT ISSUE
-DRAWINGS TO BE READ IN
CONJUNCTION WITH BP39830

MALES WITH DIRECTED THE DIMENSE, UP LOCKED (IN IGNIDICAL STILL SHE LE A FOLLOW).

1944 24\*
294 44\*

THE SOURCE SMILL IS TO SECURELY ID MISSOUL DESPONDING THE TIED SECURITY TO PRODUCE OF THE TIED SECURITY TO THE TIED SECURITY TO PRODUCE OF THE TIED SECURITY TO THE

AT SOADSONG THE CITAL WE DESCRIBE IN VICTORIANCE BUILD BUILD

WIL SCHOOL R HOLD MOU ID MOTHER COMMILE JALL SOMETHE, OF

TOWED STRATE CHARGE CON CONTRACT OF 1 1/2, 
COLOROD ID AUGUST ON A LOTTE BRITT A.

TOWED STRATES CON TO CONTRACT ON A LOTTE FOR THE TOWEST D. ONLY OF LINES. 
ATT MOREOTORIE SMIT IMPC CITYS CONDUIT COURT OF LOTTE.

I, Let 190 DITICIDAD SALL MEI DELLE (AND 181 HE NOS) HE 195 AND DELLE MEI DE

TRACES SWILL OF HANDLIN, STOREIN, AND LIFETIED IN ACCORDANCE WITH THE FARECUPES DESCRIPTION DARRISON.

E-DADIC AT ALL INDINOS.

WOOD TRUSSES

TRUCKES SHALL IE OF PRICK SOON AND SHALL CONTON TO DRICK COLLABA.

BLUDHE COOK 2004 AND CAN CORL FOT FOT DESIGN AND FARROTEN AND MAST

EN CHAPACL OF SHATUS EMPOREME THE LIMITIES ANDONED ON THE

WHAT PICTUREN'S DRIBBERS.

ALL WOOD IN CHARGE BEFORE DESCRIPTION OF SOUTH SHARE DESCRIPTION OF SOUTH S

SOP AND DICTION DIMMICS OF HOSY AND FLOSY JOSES SISSIDE, SCHOD AND STAND BY AN DIGHOUS RECEIVED IN THE PROMICE OF BRITISH CILLIADIA AND RECEIVED PRODY TO DISCITION.




_	_	
AL TANK FR	IMBER	

1. AL THAN SHALE THE SCHOOL OF THE OWNER OF MUTHERS IN ALL THE SCHOOL OF THE ACT OF DESCRIPTION OF THE ACT OF THE SCHOOL OF THE ACT OF THE SCHOOL OF T

DISTINCT	PROJE LEFEBR 700 BA
SOLUTIONS INC pt 256-448-7801 for 250-448-7801 pt 256-248-7801 for 250-448-7801 pt 256-248-7801 for 250-448-7801	DRAW

ATT SIENCE WAS CONDICTED BY ADMITTAL

EBRE RESIDENCE BARNABY ROAD, KELOWNA, BC	DS09012	-	to comet municipality building by-love and requirements of other local cortextion boding jurisdiction as well as the britist colorate building code - 2004 (as restorate) building of a statement with the colorate of the col	COPYRIGHT, ALL RIGHTS RESERVED  A blook delpts, drayings and spelfferfirm on the exclusive project of Architecturity Datinot Solutions Inc. As individuals of service, they may not be used or sproduced in any morner without
AWAYO TITLE CONDARY BUITE SITE DETALS	Drawing Humber A-1008	REV No.	All trades and comme full responsivity for the business and protection of all under and above ground offices, whose and conduit connections, including (but not	be expressed within connect of Architecturily Differed Solutions like. All Confronting Trains shall easier and recognitive deals and services and the shall be a commonweal of any section and sometimes are the absorption to commonweal of any section for the Architecturily Potence Solutions los. Do not stoke any discontinue from the drawing Differentiate from the drawing section.



2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1) 000
in the second	1 min
20. 35	日 日 日 日
to DAY,	bar is
	of Real
the eden	- 51
A STATE	
E 2 4 5	of Suites ich conto
STEE STEE	9 F R
2.2.2	
3 4 5 5	econder of not
2 4 4	
5.00	
out a	F .
25.00	10 M
8 2 3 3	E 8
tion to	
- Kr	- к

0		DOOR	SIZE	MARK WD I	W-0-	300	30-0	304 3'-0"	305 2'-0"	306 2'-8"	300		309 3-0	5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
8			M	HGT	Ş	Ą	à	0	0-0	8	9	8-8		G
DOOR AND	SCH		}	Š				1	1			-		
_	EDU		PRE	LABEL		1		20 MM	-		-			
FRAME	LE			NOIES		1	1	1	SIE NO JHOBH MUSHCO	-				

	3-0	302 2'-6"	H HIGIM	ZZIS SIZI	SCHE
5 6		0	THEIGHT	m	DU

TYPE NO.	COMPONENTS
(1)	ANTICON TO SHOULD OF MEMORY AND SHOULD ON THE MEMORY AND SHOULD OF MEMORY AND SHOULD OF MEMORY AS REQUIRED.  1-40 BRITTON THE SHOULD OF MEMORY AS REQUIRED.
	NACCE-DOWN INTRIBED COUNC

Three NO. COMPONENTS  (a) Figure 6 Section of Lindows (b) 1.105 Alland Period (Section of Lindows) (c) 1.105 Alland Period (Section of Lindows) (d) 1.105 Alland Period (Section of Lindows) (d) 1.105 Alland Period (Section of Lindows) (e) 1.105 Alland (Sect	TYPE NO.	FOO!	(8)	(8)	3	TYPE NO.
TO MAL THESE LEVELS,	COMPONENTS	TYPES	I THE OLIVE, THE X CHEST BOND IY ZOL NEODELIVE MIENT ID THEN MICH MIT INCOURTS TO MICH SHOW IN THE SHORT IN THE	1/2, CULSTW BOND DYCH 2015 1/3, CULSTW BOND DYCH 2015 104, CULSTW BOND 1/2, O'C'	COURSON MALE OF COUNTY (SHOULD & FEED COOK)  15 LES BLUDDE PHER (SHOULD & FEED COOK)  17 LES BLUDDE PHER (SHOULD & FEED COOK)	COMPONENTS
			30 MM. RAID (BODG WALL TIPE: WIC Toble A-9:10.3.1.A.)		ו טא ארד נואמבל ולגאניצלי	

3


S/P 186 PLYMOD FLORING
DHOUGHED WOOD FLORING STETLY
(MAX S/F ONE X' OFFILM BOME)
1 LATER S/P THE X' OFFILM BOME
1 LATER S/P THE X'
1 MODEL-DOWN TOTHERD EXING PINSY
DOCKS-DOWN TOTHERD EXING PINSY

30 MM. RATED (BCSC FLOOR TYPE FSC TABLE A-9.10.3.1 B STC 41)

REZONING PERMIT ISSUE
-DRAWINGS TO BE READ IN
CONJUNCTION WITH BP39830



PROJECT	Creation Date	Joh Number	Drawn By	Revision Number, Date and Description	At train on to empty the work is experience with	COPYRIGHT, ALL RIGHTS RESERVED
LEFEBRE RESIDENCE 700 BARNUBY ROAD, KELOWINA, BC		DS09012	-		the comment municipally building by-loss and regularizeds of other load outbartion boding jurisdiction on well on the leftled columbia juilding code - 2006 (or	A Men. delps. drobgs and spellerfore on the sectors proving a Architectry Datest Sectors Inc. As instrument of serial, Day you set to used or appropriate in our power without
			REV No.		Al trade shall course ful responsivity for the bootless	the expressed within consent of Architecturally Defrect Solutions Inc. All Contracting Trades shall check and we'lly all leads, discretizes.
SECONDARY SUITE PLAN	20-May-10	A-106	_		villes, when and cardel consecture, Industry (but not	data and conditions on the site prior to commensurate of any work.  Any discriptacions are to be reported immediately to Anti-Restaurably  Dirthol Solutions bio. Do not Scote any dimensions from this drawing.



39836