

CITY OF KELOWNA

BYLAW NO. 10490

Amendment No. 2 to Bylaw Notice Enforcement Bylaw No. 10475

The Municipal Council of the City of Kelowna, in open meeting assembled, enacts that City of Kelowna Bylaw Notice Enforcement Bylaw No. 10475 be amended as follows:

1. THAT Schedule "A", under Zoning Bylaw No. 8000, be amended by deleting the following:

8000	4.2.2	Obstruct Bylaw Enforcement Officer or Authorized Representative	\$100.00	\$90.00	\$110.00	No
------	-------	---	----------	---------	----------	----

and replacing it the following:

8000	4.2.2	Obstruct Bylaw Enforcement Officer or Authorized Representative	\$500.00	\$450.00	\$500.00	No
------	-------	---	----------	----------	----------	----

2. AND THAT Schedule "A", under Fire Prevention Regulation Bylaw No. 6110-89 be amended by deleting the following:

6110-89	6.2 (a)(i)	Fail to maintain emergency exit lighting	\$100.00	\$90.00	\$110.00	Yes
---------	------------	--	----------	---------	----------	-----

and replacing it with:

6110-89	6.2 (a)(i)	Fail to maintain fire alarm system	\$100.00	\$90.00	\$110.00	Yes
---------	------------	------------------------------------	----------	---------	----------	-----

3. AND THAT Schedule "A", under Fire Prevention Regulation Bylaw No. 6110-89 be further amended by deleting the following:

6110-89	6.2(b)	Fail to maintain fire suppression system	\$500.00	\$450.00	\$500.00	Yes
6110-89	6.2(c)	Keep an ash pit other than provided for	\$100.00	\$90.00	\$110.00	No
6110-89	6.2(d)	Fail to place ashes in non-combustible receptacle	\$100.00	\$90.00	\$110.00	No
6110-89	6.2(e)	Accumulation of combustible materials in alley/premises/sidewalk	\$150.00	\$125.00	\$175.00	Yes
6110-89	6.3(a)	Fail to secure vacant building	\$500.00	\$450.00	\$500.00	Yes
6110-89	6.4(c)	Sell inflammable liquids in unapproved container	\$150.00	\$125.00	\$175.00	No
6110-89	6.5(a)	Connect to fire hydrant without approval	\$100.00	\$90.00	\$110.00	Yes
6110-89	6.5(b)	Fail to install smoke alarm	\$100.00	\$90.00	\$110.00	Yes
6110-89	6.5(c)	Fail to test smoke alarm	\$100.00	\$90.00	\$110.00	No

and replacing it with the following:

6110-89	6.2(a)(xi)	Fail to maintain fire suppression system	\$500.00	\$450.00	\$500.00	Yes
6110-89	6.2(b)	Keep an ash pit other than provided for	\$100.00	\$90.00	\$110.00	No
6110-89	6.2(c)	Fail to place ashes in non-combustible receptacle	\$100.00	\$90.00	\$110.00	No
6110-89	6.2(d)	Accumulation of combustible materials in alley/premises/sidewalk	\$150.00	\$125.00	\$175.00	Yes
6110-89	6.2(e)	Fail to secure vacant building	\$500.00	\$450.00	\$500.00	Yes
6110-89	6.3(a)	Sell inflammable liquids in unapproved container	\$150.00	\$125.00	\$175.00	No
6110-89	6.4(c)	Connect to fire hydrant without approval	\$100.00	\$90.00	\$110.00	Yes
6110-89	6.5(a)	Fail to install smoke alarm	\$100.00	\$90.00	\$110.00	Yes
6110-89	6.5(b)	Fail to test smoke alarm	\$100.00	\$90.00	\$110.00	No
6110-89	6.5(c)	Fail to install approved smoke alarm	\$100.00	\$90.00	\$110.00	Yes

4. AND THAT Schedule "A," under Parks and Public Spaces Bylaw No. 6819-91 be amended by deleting the following:

6819-91	3.24	Possession of liquor in park	\$230.00	\$210.00	\$250.00	Yes
---------	------	------------------------------	----------	----------	----------	-----

and replacing it with:

6819-91	3.24	Possession of liquor in park	\$230.00	\$200.00	\$260.00	Yes
---------	------	------------------------------	----------	----------	----------	-----

5. AND THAT Schedule "A," under Sanitary Sewer/Storm Drain Regulation Bylaw No. 6618-90 be amended by deleting the following:

6618-90	1.7.2	Connect Septic Tank to Sewer without Approval	\$100.00	\$90.00	\$110.00	Yes
6618-90	1.9.1	Permit Septic Tank Sludge into Sewer	\$100.00	\$90.00	\$110.00	No
6618-90	1.9.2	Obstruct Entry of Sewage Control Manager	\$500.00	\$450.00	\$500.00	No
6618-90	1.10.2	Prevent Entry of Sewage Control Manager	\$500.00	\$450.00	\$500.00	No
6618-90	1.10.3	Discharge Prohibited Gas Liquid or Substance into Sewer	\$500.00	\$450.00	\$500.00	No
6618-90	2.1.1(a)	Discharge Prohibited Substance in Sewer	\$200.00	\$180.00	\$220.00	No

and replacing it with the following:

6618-90	1.7.2	Fail to meet Regulations	\$100.00	\$90.00	\$110.00	No
6618-90	1.9.1	Connect Septic Tank without Approval	\$100.00	\$90.00	\$110.00	Yes
6618-90	1.9.2	Permit Septic Tank Sludge into Sewer	\$100.00	\$90.00	\$110.00	No
6618-90	1.10.2	Obstruct Entry of Sewage Control Manager	\$500.00	\$450.00	\$500.00	No
6618-90	1.10.3	Prevent Entry of Sewage Control Manager	\$500.00	\$450.00	\$500.00	No
6618-90	2.1.1(a)	Discharge Prohibited Gas Liquid or Substance into Sewer	\$500.00	\$450.00	\$500.00	No

6. AND THAT Schedule "A," under Election Sign Bylaw No. 10411 be amended by deleting the following:

10411	5.1.1	election event signs hindering drivers of motor vehicles or pedestrians	\$100.00	\$90.00	\$110.00	Yes
-------	-------	---	----------	---------	----------	-----

and replacing it with the following:

10411	5.1.2 (a)	Election event signs	\$100.00	\$90.00	\$110.00	Yes
10411	5.1.2 (b)	Election event sign exceeding maximum area or height	\$100.00	\$90.00	\$110.00	Yes
10411	5.1.2 (c)	Election sign remaining after event	\$100.00	\$90.00	\$110.00	Yes

7. This bylaw shall come into force and take effect as and from the date of adoption.
8. This bylaw may be cited as "Bylaw No. 10490 being Amendment No. 2 to Bylaw Notice Enforcement Bylaw No. 10490".

Read a first and second and third time by the Municipal Council this

Adopted by the Municipal Council of the City of Kelowna this

Mayor

City Clerk