


NOTES:


1. HARD SURFACE (E.G. PAVERS, CONCRETE, SPECIAL PAVING, ETC.) c/w SAW-CUT OR BROOM-OVER FINISHED CONTROL JOINTS
2. ACCENT PAVING EDGE, URBAN BRAILLE OPPORTUNITY
3. COMFORT AMENITY ZONE (BENCH, BIKE RACK, WASTE RECEPTACLES, WAYFINDING SIGNAGE, KIOSKS, ETC.)
4. PEDESTRIAN LIGHTING c/w SHARP-ANGLE CUT-OFF FIXTURE & PAGEANTRY / BANNER OPPORTUNITY
5. TREE PLANTING SPACED EQUALLY BETWEEN LIGHTING c/w APPROVED GROWING MEDIUM AND VOLUME PER CITY STANDARDS
6. SHARED PATHWAY TO BE BARRIER FREE & UNIVERSAL ACCESSIBILITY STANDARDS.
7. 19mm MINUS COMPACTED GRANULAR BASE (95% MPD)
OPTIONAL: SAND LEVELING BED FOR UNIT PAVER SURFACING – REFER TO TRAIL GUIDELINES CHART FOR MAXIMUM SLOPES, MATERIAL DEPTHS AND SPECIFICATIONS
8. REMOVE ALL ORGANIC MATERIAL, LARGE STONES AND COMPACT NATIVE SUBGRADE (95% MPD)
9. ALL DIMENSIONS IN MILLIMETRES UNLESS NOTED OTHERWISE.


STANDARD DETAIL DRAWING	DATE: JUN 26/23	CLASS 1 TRAIL MAJOR URBAN PROMENADE	DWG. NO.	 City of Kelowna
	SCALE: NTS		SS-T01	



NOTES:


1. ASPHALT OR ASPHALT MILLINGS PAVING
2. ACCENT PAVING / EDGE RESTRAINT
3. TREE PLANTING SPACED EQUALLY BETWEEN LIGHTING c/w APPROVED GROWING MEDIUM AND VOLUME PER CITY STANDARDS
4. SHARED PATHWAY TO BE BARRIER FREE & UNIVERSAL ACCESSIBILITY STANDARDS
5. 50mm ASPHALT SURFACE. REFER TO BYLAW 7900 FOR STANDARD PAVEMENT STRUCTURE DEPTHS.
6. 19mm MINUS COMPACTED GRANULAR BASE (95% MPD) – REFER TO TRAIL GUIDELINES CHART FOR MAXIMUM SLOPES, MATERIAL DEPTHS AND SPECIFICATIONS
7. 75mm MINUS COMPACTED SUB-BASE (95% MPD) – REFER TO TRAIL GUIDELINES CHART FOR MAXIMUM SLOPES, MATERIAL DEPTHS AND SPECIFICATIONS
8. REMOVE ALL ORGANIC MATERIAL, LARGE STONES AND COMPACT NATIVE SUBGRADE (95% MPD)
9. ALL DIMENSIONS IN MILLIMETRES UNLESS NOTED OTHERWISE


STANDARD DETAIL DRAWING	DATE: JUN 26/23	CLASS 2 TRAIL MAJOR MULTI-USE URBAN	DWG. NO.	 City of Kelowna
	SCALE: NTS		SS-T02	



NOTES:


1. PRUNE BRANCHES BACK TO TRUNK OR LIMB
2. REMOVE LOOSE ROCK & DEBRIS FROM ABOVE TRAIL
3. CLEAR & GRUB SHRUBS & TREES FOR TRAIL EXCEPT THOSE DESIGNATED TO STAY
4. PROVIDE DRAINAGE SWALE AS REQUIRED WHERE ADEQUATE DISCHARGE LOCATIONS ARE PRESENT
5. UNDISTURBED NATIVE SOIL
6. REMOVE ALL ORGANIC MATERIAL, LARGE STONES AND COMPACT NATIVE SUBGRADE (95% MPD)
7. AGGREGATE TRAIL: 10mm MINUS CRUSHED AGGREGATE / 19mm MINUS COMPACTED GRANULAR BASE OVER APPROVED FILL MATERIAL (95% MPD) REFER TO TRAIL GUIDELINES CHART FOR MAXIMUM SLOPES, MATERIAL DEPTHS AND SPECIFICATIONS
8. OPTIONAL: 50mm ASPHALT MILLINGS. REFER TO BYLAW 7900 FOR STANDARD PAVEMENT STRUCTURE & DEPTHS.
9. ALL DIMENSIONS SHOWN ARE MILLIMETRES UNLESS OTHERWISE NOTED.


STANDARD DETAIL DRAWING	DATE: JUN 26/23	CLASS 3 TRAIL MAJOR MULTI-USE RURAL	DWG. NO.	 City of Kelowna
	SCALE: NTS		SS-T03	



NOTES:


1. PRUNE BRANCHES BACK TO TRUNK OR LIMB
2. REMOVE LOOSE ROCK & DEBRIS FROM ABOVE TRAIL
3. CLEAR & GRUB SHRUBS & TREES FOR TRAIL EXCEPT THOSE DESIGNATED TO STAY
4. PROVIDE DRAINAGE SWALE AS REQUIRED WHERE ADEQUATE DISCHARGE LOCATIONS ARE PRESENT.
5. UNDISTURBED NATIVE SOIL
6. REMOVE ALL ORGANIC MATERIAL, LARGE STONES AND COMPACT NATIVE SUBGRADE (95% MPD)
7. AGGREGATE TRAIL: 10mm MINUS CRUSHED AGGREGATE / 19mm MINUS COMPACTED GRANULAR BASE OVER APPROVED FILL MATERIAL (95% MPD) – REFER TO TRAIL GUIDELINES CHART FOR MAXIMUM SLOPES, MATERIAL DEPTHS AND SPECIFICATIONS
8. OPTIONAL SURFACE: 50mmD ASPHALT MILLINGS. REFER TO BYLAW 7900 FOR STANDARD PAVEMENT STRUCTURE & DEPTHS
9. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.


STANDARD DETAIL DRAWING	DATE: JUN 26/23	CLASS 4 TRAIL STANDARD MULTI-USE RURAL	DWG. NO.	 City of Kelowna
	SCALE: NTS		SS-T04	



NOTES:

1. PRUNE BRANCHES BACK TO TRUNK OR LIMB
2. REMOVE LOOSE ROCK & DEBRIS FROM ABOVE TRAIL
3. CLEAR & GRUB SHRUBS & TREES FOR TRAIL EXCEPT THOSE DESIGNATED TO STAY
4. PROVIDE DRAINAGE SWALE AS REQUIRED WHERE ADEQUATE DISCHARGE LOCATIONS ARE PRESENT.
5. UNDISTURBED NATIVE SOIL
6. REMOVE ALL ORGANIC MATERIAL, LARGE STONES AND COMPACT NATIVE SUBGRADE (95% MPD)
7. AGGREGATE TRAIL: 10mm MINUS CRUSHED AGGREGATE / 19mm MINUS COMPACTED GRANULAR BASE OVER APPROVED FILL MATERIAL (95% MPD)
8. OPTIONAL SURFACE: 50mmD ASPHALT MILLINGS. REFER TO BYLAW 7900 FOR STANDARD PAVEMENT STRUCTURE & DEPTHS.
9. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.

STANDARD DETAIL DRAWING	DATE: JUN 26/23	CLASS 5 TRAIL NARROW MULTI-USE RURAL	DWG. NO.	 City of Kelowna
	SCALE: NTS		SS-T05	



NOTES:

1. PRUNE BRANCHES BACK TO TRUNK OR LIMB
2. REMOVE LOOSE ROCK & DEBRIS FROM ABOVE TRAIL
3. CLEAR & GRUB SHRUBS & TREES FOR TRAIL EXCEPT THOSE DESIGNATED TO STAY
4. PROVIDE DRAINAGE SWALE AS REQUIRED WHERE ADEQUATE DISCHARGE LOCATIONS ARE PRESENT
5. UNDISTURBED NATIVE SOIL
6. REMOVE ALL ORGANIC MATERIAL, LARGE STONES AND COMPACT NATIVE SUBGRADE (95% MPD)
7. APPROVED FILL MATERIAL / NATURAL TRAIL
8. REFER TO TRAIL GUIDELINES CHART FOR MAXIMUM SLOPES AND SPECIFICATIONS
9. OPTIONAL SURFACE: 10mm MINUS CRUSHED AGGREGATE OVER 19mm MINUS COMPACTED GRANULAR BASE (95% MPD)
10. DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.

STANDARD DETAIL DRAWING	DATE: JUN 26/23	CLASS 6 TRAIL NATURE TRAIL RURAL	DWG. NO.	 City of Kelowna
	SCALE: NTS		SS-T06	