


HILLSIDE ZONE STANDARDS



NOTES:


- 1. AT THE RECOMMENDATION OF THE CITY ENGINEER, THE APPROVING OFFICER MAY REQUIRE SPECIAL PROVISIONS OR ADDITIONAL ROW FOR THE ROAD TO BE ADEQUATELY SUPPORTED, PROTECTED, OR DRAINED.
- 2. AUXILIARY LANES REQUIRED AS NECESSARY, AS PER BYLAW 7900.


STANDARD	DATE:
	JULY 4/23
DETAIL	SCALE:
DRAWING	NTS


HILLSIDE - ARTERIAL CONDITION A (VILLAGE PARKWAY) DWG. NO.


XS-R62































NOTES:

- 1. AT THE RECOMMENDATION OF THE CITY ENGINEER, THE APPROVING OFFICER MAY REQUIRE SPECIAL PROVISIONS OR ADDITIONAL ROW FOR THE ROAD TO BE ADEQUATELY SUPPORTED, PROTECTED, OR DRAINED.
- 2. AUXILIARY LANES REQUIRED AS NECESSARY, AS PER BYLAW 7900.

STANDARDDATE: JULY 4/23DETAILSCALE: NTS	SUBURBAN MAJOR ARTERIAL (3 LANE)	dwg. no. XS-R84	City of Kelowna
---	-------------------------------------	--------------------	------------------------






NOTES:

- 1. AT THE RECOMMENDATION OF THE CITY ENGINEER, THE APPROVING OFFICER MAY REQUIRE SPECIAL PROVISIONS OR ADDITIONAL ROW FOR THE ROAD TO BE ADEQUATELY SUPPORTED, PROTECTED, OR DRAINED.
- 2. AUXILIARY LANES REQUIRED AS NECESSARY, AS PER BYLAW 7900.

STANDARD DETAIL DRAWING	DATE: JULY 4/23 SCALE: NTS	CORE AREA MAJOR ARTERIAL (3 LANE)	dwg. no. XS-R86	City of Kelowna	
-------------------------------	-------------------------------------	--------------------------------------	--------------------	-----------------	--

₽ 0.6 BUFFER 1.8 BIKE -LANE 0.6 1.8 BUFFER 3.3 TRAVEL LANE 3.3 TRAVEL LANE 3.0 3.3 TRAVEL LANE 3.3 TRAVEL LANE 2.1 0.30 BORDER 2.1 2.10 1.2 MEDIAN 2.10 0.30 BORDER BIKE - AUX. LANE SIDEWALK BLVD BLVD SIDEWALK LANE .0 MIN 0.3 MIN - 0.15 2% 2% 2% 2% 0.2 MIN. WAT. -SAN. STM. COMM. ELEC. GAS COMM. ELEC. GAS PAINTED OR CONCRETE - MEDIAN AS REQUIRED BY CITY ENGINEER 3.0 PREFERRED - 3.0 MIN NOTES: AT THE RECOMMENDATION OF THE CITY ENGINEER, THE APPROVING OFFICER MAY 1. REQUIRE SPECIAL PROVISIONS OR ADDITIONAL ROW FOR THE ROAD TO BE ADEQUATELY SUPPORTED, PROTECTED, OR DRAINED. 2. AUXILIARY LANES REQUIRED AS NECESSARY, AS PER BYLAW 7900. DWG. NO. **STANDARD** DATE: CORE AREA MAJOR ARTERIAL JULY 4/23 DETAIL XS-R87 SCALE: City of **Kelowna** (5 LANE) <u>DRAWING</u> NTS



NOTES:

- 1. AT THE RECOMMENDATION OF THE CITY ENGINEER, THE APPROVING OFFICER MAY REQUIRE SPECIAL PROVISIONS OR ADDITIONAL ROW FOR THE ROAD TO BE ADEQUATELY SUPPORTED, PROTECTED, OR DRAINED.
- 2. AUXILIARY LANES REQUIRED AS NECESSARY, AS PER BYLAW 7900.

STANDARD	DATE:	URBAN CENTRE MAJOR ARTERIAL	DWG. NO.	
DETAIL	JULY 4/23 SCALE:	(3 LANE)	XS-R88	City of
DRAWING	NTS			Kelowna

